

# 16N2F, capacity 1556 kg






Pulling winch 1556 kg.
Use:
- Pulling/Hauling operations only (slope of 0%)
- Occasional use or leisure
- Tensioning of cables or nets
- Pulling of boats...

## Technical properties


- Compact.
- Faible encombrement.
- Robust.
- Holding and disengaging ratchet.
- Easy to install (3 attachment points depending on models).
- To use with steel ropes.
- Zinc protection.

## Technical characteristics of 16N2F, capacity 1556 kg

| | |
|---|---|
| Pulling capacity (slope of 0%) kg | 1556 |
| Wire rope Ø mm | 7 |
| Weight (without wire rope) kg | 7.8 |

## Dimensions

| | |
|---|---|
| A mm | 290 |
| B mm | 120 |
| C mm | 175 |
| E mm | 38 |
| F mm | 214 |
| G mm | 171 |
| H mm | 312 |



## Technical characteristics of the other models of the range

| References | 3N1 | 5N1 | 7N1 | 9N1 | **16N2F** |
|---|---|---|---|---|---|
| Pulling capacity (slope of 0%) kg | 470 | 596 | 723 | 894 | **1556** |
| Wire rope Ø mm | 3 | 5 | 5 | 6 | **7** |
| Weight (without wire rope) kg | 2 | 3 | 4.6 | 6 | **7.8** |

| References | 25N3F |
|---|---|
| Pulling capacity (slope of 0%) kg | 2741 |
| Wire rope Ø mm | 8 |
| Weight (without wire rope) kg | 13.1 |



### HUCHEZ's advice

**Compact, easy to install and to use.**

HUCHEZ
4, rue Michel HAMMID
60420 FERRIERES – France
+33 (0) 3 44 51 11 33
www.huchez.com
contact@huchez.fr

SERVICE CLIENTS
ATENCIO AL CLIENTE
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!
To know more, please contact us!
Para más información, póngase en contacto con nosotros!
Für weitere Informationen können Sie sich gerne an uns wenden!