


Cable reel jacks 756, 4 t



Use:

- Cable companies
- Electricians
- Public works
- Telecoms...
- Used by two

Technical properties


- Robust design.
- Handle with sheath for operating lever.
- Up and down reversible retaining pawl.
- Stable and easy to implement.
- Carrying bar necessary to lift the reels (not supplied).

Technical characteristics of Cable reel jacks 756, 4 t

Capacity kg	4000
Stroke mm	620
Weight kg	50

Dimensions

A mm	600
B mm	400
D mm	84
H mm	820
L mm	240
M mm	27



Technical characteristics of the other models of the range

References	7563T	7563TH	7564T
Capacity kg	3000	3000	4000
Lift per crank revolution mm			
Max. hand force on crank kg			
Height in mm			
Stroke mm	340	620	620
Weight kg	24	54	50



HUCHEZ's advice

Easy to implement.



HUCHEZ
4, rue Michel HAMMID
60420 FERRIERES – France
☎ +33 (0) 3 44 51 11 33
🌐 www.huchez.com
✉ contact@huchez.fr



SERVICE CLIENTS
ATENCIO AL CLIENTE
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!
To know more, please contact us!
Para más información, póngase en contacto con nosotros!
Für weitere Informationen können Sie sich gerne an uns wenden!