


## Rack and pinion jacks 797, 500 kg



### Use:

- Short stroke manoeuvre in irrigation (small reservoirs), industry, construction, metal structures...
- Sky domes, door manoeuvres...

### Technical properties


- Light.
- Compact.
- Painted model.
- Automatic load holding by worm screw.
- Fixed crank with ergonomic rotating handle.
- Stroke: 800 mm.
- 1 or 2 m long rack in option.

### Technical characteristics of Rack and pinion jacks 797, 500 kg

References	797500NU
Capacity kg	500
Lift per crank revolution mm	9.4
Max. hand force on crank kg	17
Weight kg	9

Dimensions

References	797500NU
A mm	1000
B mm	400
D mm	290



## Technical characteristics of the other models of the range

References	797500NU	7971000NU	797500INOX
Capacity kg	500	1000	500
Lift per crank revolution mm	9.4	4.5	9.4
Max. hand force on crank kg	17	17	16
Height in mm			
Stroke mm			
Weight kg	9	12	5.7



### HUCHEZ's advice

**Strong points: light and compact.**



HUCHEZ  
4, rue Michel HAMMID  
60420 FERRIERES – France  
☎ +33 (0) 3 44 51 11 33  
🌐 [www.huchez.com](http://www.huchez.com)  
✉ [contact@huchez.fr](mailto:contact@huchez.fr)



SERVICE CLIENTS  
ATENCIO AL CLIENTE  
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!  
To know more, please contact us!  
Para más información, póngase en contacto con nosotros!  
Für weitere Informationen können Sie sich gerne an uns wenden!