


## Rack jack 729, 3 t



### Use:

- For lifting and manipulating loads of various types.
- For assembly work of all kind.
- Vehicles, trailers, machines, tractors, trucks...
- Agricultural and forestry use.

### Technical properties


- This rack jack range proved its quality over decades.
- Robust and indestructible construction.
- Pinions and rack in treated chrome nickel steel.
- Foldable handle safety crank with automatic brake preventing the risk of the crank coming back and allowing very precise positioning of the load.
- Easy to transport thanks to its handle.
- Low maintenance requirements.
- Casing of the transmission (for lifting capacity from 2,5t ? 10t) has lubrication plug allowing transmission lubrication without removal of casing
- Non disengageable double ratchet for greater safety.

### Technical characteristics of Rack jack 729, 3 t

References	7293T
Capacity kg	3000
Capacity (lifting head) %	100 %
Capacity (lifting toe) %	100 %
Weight kg	20

Dimensions

References	7293T
C mm	355
h mm	70
H mm	735



## Technical characteristics of the other models of the range

References	7293T	7295T	72910T	72916T	72920T
Capacity kg	3000	5000	10000	16000	20000
Capacity (lifting head) %	100 %	100 %	100 %	100 %	100 %
Capacity (lifting toe) %	100 %	100 %	100 %	70 %	70 %
Weight kg	20	28	46	65	90



### HUCHEZ's advice

**Strong points: this equipment allows precise positioning of the load.**



HUCHEZ  
4, rue Michel HAMMID  
60420 FERRIERES – France  
☎ +33 (0) 3 44 51 11 33  
🌐 [www.huchez.com](http://www.huchez.com)  
✉ [contact@huchez.fr](mailto:contact@huchez.fr)



SERVICE CLIENTS  
ATENCIO AL CLIENTE  
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!  
To know more, please contact us!  
Para más información, póngase en contacto con nosotros!  
Für weitere Informationen können Sie sich gerne an uns wenden!