


## Lever operated jack 732, 2 t



### Use:

- For multipurpose.
- Clamping or spreading.
- Construction.
- Stretching wire.
- Lifting of different loads.
- Lifting stable loads.
- Raising vehicles or other loads

### Technical properties


- Light.
- Easy to set up.
- Robust.
- A shear pin exists in order to protect against overload (safety).
- The jack must have a load on it: 50 kg or more.

### Technical characteristics of Lever operated jack 732, 2 t

References	7322T
Force kg	2000
Capacity kg	2000
Lifting height m	0,90
Capacity (lifting) t	2000
Capacity (clamping) kg	340
Weight kg	13

Dimensions

References	7322T
A mm	1193
B mm	900
C mm	750
D mm	120
E mm	110
F mm	185
G mm	40



Technical characteristics of the other models of the range

References	7322T
Capacity kg	2000
Lifting height m	0,90
Capacity (lifting) t	2000
Capacity (clamping) kg	340
Weight kg	13



**HUCHEZ's advice**  
**Strong points: for multipurpose.**



HUCHEZ  
4, rue Michel HAMMID  
60420 FERRIERES – France  
☎ +33 (0) 3 44 51 11 33  
🌐 [www.huchez.com](http://www.huchez.com)  
✉ [contact@huchez.fr](mailto:contact@huchez.fr)



SERVICE CLIENTS  
ATENCIO AL CLIENTE  
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!  
To know more, please contact us!  
Para más información, póngase en contacto con nosotros!  
Für weitere Informationen können Sie sich gerne an uns wenden!