

## Galvanized column jib cranes 917, capacity 150 kg



### Use:

- Purifier stations.
- Water dams.
- Water treatment stations.

### Technical properties


- Galvanized finish.
- Weather protective cover for the base.
- Jib crane rotates using an retractable lever.
- 360° rotation.
- Range adjusted by holes on the arm.
- Square, ribbed base plate.
- The base and the jib crane may be supplied separately.
- Other dimension: consult us.
- Options: idler pulley, wall base, anti-rotation kit, manual (TIREX, 631.AFL) or electric winch (MOTORBOX)...
- Setup and installation: consult us.

### Technical characteristics of Galvanized column jib cranes 917, capacity 150 kg

References	
Capacity kg	150
Max. range m	0.80
Overall height m	2.30
Weight (jib crane/base) kg	22 / 7

Dimensions

References	
A mm	800
B mm	2300
E mm	200
F mm	250
G mm	Ø 16



## Technical characteristics of the other models of the range

References		
Capacity kg	150	150
Max. range m	0.80	0.80
Overall height m	2.30	2.30
Weight (jib crane/base) kg	22 / 7	22 / 7



### HUCHEZ's advice

**Important recommendations: The jib crane column support must be sufficiently strong to withstand the loads.**



HUCHEZ  
4, rue Michel HAMMID  
60420 FERRIERES – France  
☎ +33 (0) 3 44 51 11 33  
🌐 [www.huchez.com](http://www.huchez.com)  
✉ [contact@huchez.fr](mailto:contact@huchez.fr)



SERVICE CLIENTS  
ATENCIO AL CLIENTE  
KUNDENSERVICE

Pour en savoir plus, n'hésitez pas à nous contacter!  
To know more, please contact us!  
Para más información, póngase en contacto con nosotros!  
Für weitere Informationen können Sie sich gerne an uns wenden!